

ROLLER & BLANKET WASH PRODUCT SELECTION GUIDE

Tower Product Name	Solvent Strength	Drying Speed	% Water Miscible	Odor	Vapor Pressure	VOC Content	Flash Point	HMIS Codes H - F - R - PP	Container Sizes	Special Product Comments
18-M Cleaner & MRC	strong	very fast	no	solvent	63.4	5.7# 82%	0	2 - 3 - 0 - B	1, 5, 55	
250WA	moderate	slow	100%	detergent	LT 1.0	0.3# 3%	None	1 - 0 - 0 - B	1, 5, 55	Water additive/rinse for LO-VO Washes
396 UV / EB Wash	strong	moderate	no	mild solvent	3.0	7.5# 100%	115	2 - 2 - 0 - B	55	
California UV Wash	strong	moderate	30%	solvent/glycol	LT 5.0	7.66# 99%	106	2 - 2 - 0 - B	5, 55	Baldwin, Rotodyne & Bottcher Approved
Colorkleen	moderate	moderate	30%	mild citrus	3.0	6.8# 99%	105	2 - 2 - 0 - B	5, 55	Komori ABW Units
Exempt Wash HF	moderate	slow	30%	mild solvent	1.0	6.6# 99%	140	2 - 2 - 0 - B	55	
Fast Dry Exempt Wash	strong	fast	no	solvent	0.5	0.75# 9%	64	2 - 3 - 0 - B	5, 55	Less than 100 g/L VOC
Infinity Wash HMK WM-1	moderate	slow	30%	mild solvent	LT 1.0	6.6# 99%	147	2 - 2 - 0 - B	5, 55	Fogra Approved Conventional Wash
Infinity Wash HMK UV	strong	slow	100%	solvent/glycol	LT 1.0	7.1# 89%	167	1 - 2 - 0 - B	5, 55	Fogra Approved UV Wash
IP Wash	moderate	moderate	30%	light citrus	LT 3.0	6.8# 99%	112	2 - 2 - 0 - B	5, 55	Baldwin Approved Sheetfed/Kormori Approved
LO-VO Wash 50	moderate	slow	50%	mild	5.0	3.45# 50%	155	1 - 2 - 0 - B	5, 55	
LO-VO Wash CA-100	moderate	slow	50%	mild	LT 1.0	0.8# 12%	231	1 - 1 - 0 - B	5, 55	Less than 100 g/L VOC/ Heidelberg Approved
LO-VO Wash CA-UV	moderate	slow	30%	mild solvent	LT 1.0	0.79# 10%	GT 142	1 - 2 - 0 - B	5, 55	Less than 100 grams/liter VOC
LO-VO Wash ELT-30	moderate	slow	50%	mild	LT 5.0	2.0# 30%	GT 142	1 - 2 - 0 - B	55	Elettra Approved
LO-VO Wash CA-200	moderate	slow	50%	mild	LT 1.0	0.8# 11%	GT 231	1 - 2 - 0 - B	5, 55	Less than 100g/ Liter VOC
LO-VO Wash 2000 Auto QW	moderate	slow	50%	mild	1.0	2.0# 30%	142	1 - 2 - 0 - B	55	Elettra, Oxy-Dry & Heidelberg approved for webs
MRC	strong	very fast	no	solvent	25	4.2# 70%	LT 20	2 - 3 - 0 - B	1, 55	
MRC-100	strong	very fast	no	solvent	3.4	0.80# 12%	0	2 - 3 - 0 - B	5, 55	Less than 100 g/L VOC
MRC-LV	strong	very fast	no	solvent	185	1.7# 26%	18	2 - 3 - 0 - B	55	
MRC-2010	strong	fast	no	solvent	9.58	6.6# 100%	GT 45	2 - 3 - 0 - B	5, 55	Meets IL/WI vapor pressure rule
Meter Clean	strong	very fast	no	mild citrus	40	6.1# 100%	LT 20	2 - 3 - 0 - B	1, 55	
Press Pro	strong	moderate	50%	fruity/vanilla	3.0	6.9# 99%	105	1 - 2 - 0 - B	5, 55	
Pressto! 123	strong	mod-fast	no	sweet floral	2.8	6.9# 99%	102	2 - 2 - 0 - B	5, 55	
Restorkleen	strong	slow	50%	bubble gum	3.0	6.9# 90%	105	2 - 2 - 0 - B	1, 5, 55	Rejuvenator. Deglazer, Conditioner
Shortstop	moderate	moderate	30%	sweet floral	2.9	6.8# 99%	113	2 - 2 - 0 - B	5, 55	
Speedy Wash	moderate	fast	no	vanilla	10	6.2# 100%	50	2 - 3 - 0 - B	5, 55	
Star Wash	moderate	moderate	30%	solvent	LT 1.0	6.8# 98%	142	2 - 2 - 0 - B	5, 55	
Superwash Step One	strong	slow	no	mild solvent	N/A	4.6# 64%	GT 140	1 - 2 - 0 - B	5, 55	
Tech Wash IF	moderate	moderate	30%	mild solvent	5.0	6.8# 99%	108	2 - 2 - 0 - B	5, 55	
UV Wash 100 Plus	strong	moderate	30%	mild solvent	3.0	7.4# 99%	113	2 - 2 - 0 - B	5, 55	For UV and Hybrid Ink
UV Wash LED	strong	moderate	no	solvent/glycol	LT 9.0	7.4# 99%	110	2 - 2 - 0 - B	5, 55	
UV Wash MA	strong	moderate	no	mild solvent	LT 3.0	7.4# 100%	GT 100	2 - 2 - 0 - B	55	
Wash 1200 Fast Dry	strong	fast	no	solvent	0.5	0.75# 11%	LT 20	2 - 3 - 0 - B	5, 55	Less than 100 grams/liter VOC
Wash 4550	moderate	moderate	30%	mild solvent	LT 5.0	6.37# 99%	GT 100	2 - 2 - 0 - B	5, 55	
Wash 6800	moderate	moderate	30%	mild solvent	LT 1.0	6.9# 98%	GT 142	2 - 2 - 0 - B	55	
W.O.W. Exempt WM	moderate	slow	30%	mild solvent	3.0	6.5# 99%	105	2 - 2 - 0 - B	5, 55	Bottcher approved
W.O.W. Oxy-Dry 1149	strong	moderate	no	solvent	5.0	6.9# 100%	145	2 - 2 - 0 - B	55	Oxy-Dry & Heidelberg approved for webs