

# ROLLER & BLANKET WASH PRODUCT SELECTION GUIDE

Tower Product Name	Solvent Strength	Drying Speed	% Water Miscible	Odor	Vapor Pressure	VOC Content	Flash Point	HMIS Codes H - F - R - PP	Container Sizes	Special Product Comments
<b>18-M Cleaner &amp; MRC</b>	strong	very fast	no	solvent	63.4	5.7# 82%	0	2 - 3 - 0 - B	1, 5, 55	
<b>396 UV / EB Wash</b>	strong	moderate	no	mild solvent	3.0	7.5# 100%	115	2 - 2 - 0 - B	55	
<b>California UV Wash</b>	strong	moderate	30%	solvent/glycol	LT 5.0	7.66# 99%	106	2 - 2 - 0 - B	5, 55	Baldwin, Rotodyne & Bottcher Approved
<b>Colorkleen</b>	moderate	moderate	30%	mild citrus	3.0	6.8# 99%	105	2 - 2 - 0 - B	5, 55	Komori ABW Units
<b>Exempt Wash HF</b>	moderate	slow	30%	mild solvent	1.0	6.6# 99%	140	2 - 2 - 0 - B	55	
<b>Fast Dry Exempt Wash</b>	strong	fast	no	solvent	0.5	0.75# 9%	64	2 - 3 - 0 - B	5, 55	Less than 100 g/L VOC
<b>Infinity Wash 1300 UV</b>	strong	slow	100%	solvent/glycol	LT 1.0	6.7# 88%	GT 142	2 - 2 - 0 - B	5, 55	
<b>Infinity Wash Combi</b>	moderate	moderate	20%	mild solvent	LT 1.0	6.9# 98%	GT 142	2 - 2 - 0 - B	5, 55	
<b>Infinity Wash HMK WM-1</b>	moderate	slow	30%	mild solvent	LT 1.0	6.6# 99%	147	2 - 2 - 0 - B	5, 55	
<b>Infinity Wash HMK UV</b>	strong	slow	100%	solvent/glycol	LT 1.0	7.1# 89%	167	1 - 2 - 0 - B	5, 55	Fogra Approved UV Wash
<b>IP Wash</b>	moderate	moderate	30%	light citrus	LT 3.0	6.8# 99%	112	2 - 2 - 0 - B	5, 55	Baldwin Approved Sheetfed/Kormori Approved
<b>LO-VO Wash 50</b>	moderate	slow	50%	mild	5.0	3.45# 50%	155	1 - 2 - 0 - B	5, 55	
<b>LO-VO Wash CA-100</b>	moderate	slow	50%	mild	LT 1.0	0.8# 12%	231	1 - 1 - 0 - B	5, 55	Less than 100 g/L VOC/ Heidelberg Approved
<b>LO-VO Wash CA-UV</b>	moderate	slow	30%	mild solvent	LT 1.0	0.79# 10%	GT 142	1 - 2 - 0 - B	5, 55	Less than 100 grams/liter VOC
<b>LO-VO Wash ELT-30</b>	moderate	slow	50%	mild	LT 5.0	2.0# 30%	GT 142	1 - 2 - 0 - B	55	Elettra Approved
<b>LO-VO Wash 2000 Auto QW</b>	moderate	slow	50%	mild	1.0	2.0# 30%	142	1 - 2 - 0 - B	55	Elettra, Oxy-Dry & Heidelberg approved for webs
<b>MRC</b>	strong	very fast	no	solvent	25	4.2# 70%	LT 20	2 - 3 - 0 - B	1, 55	
<b>MRC-100</b>	strong	very fast	no	solvent	3.4	0.80# 12%	0	2 - 3 - 0 - B	5, 55	Less than 100 g/L VOC
<b>MRC-LV</b>	strong	very fast	no	solvent	185	1.7# 26%	18	2 - 3 - 0 - B	55	
<b>MRC-2010</b>	strong	fast	no	solvent	9.58	6.6# 100%	GT 45	2 - 3 - 0 - B	5, 55	Meets IL/WI vapor pressure rule
<b>Meter Clean</b>	strong	very fast	no	mild citrus	40	6.1# 100%	LT 20	2 - 3 - 0 - B	1, 55	
<b>Press Pro</b>	strong	moderate	50%	fruity/vanilla	3.0	6.9# 99%	105	1 - 2 - 0 - B	5, 55	
<b>Pressto! 123</b>	strong	mod-fast	no	sweet floral	2.8	6.9# 99%	102	2 - 2 - 0 - B	5, 55	
<b>Restorkleen</b>	strong	slow	50%	bubble gum	3.0	6.9# 90%	105	2 - 2 - 0 - B	1, 5, 55	Rejuvenator. Deglazer, Conditioner
<b>Speedy Wash</b>	moderate	fast	no	vanilla	10	6.2# 100%	50	2 - 3 - 0 - B	5, 55	
<b>Superwash Step One</b>	strong	slow	no	mild solvent	N/A	4.6# 64%	GT 140	1 - 2 - 0 - B	5, 55	
<b>Tech Wash IF</b>	moderate	moderate	30%	mild solvent	5.0	6.8# 99%	108	2 - 2 - 0 - B	5, 55	
<b>UV Wash 100 Plus</b>	strong	moderate	30%	mild solvent	3.0	7.4# 99%	113	2 - 2 - 0 - B	5, 55	For UV and Hybrid Ink
<b>UV Wash 140</b>	strong	moderate	30%	mild solvent	LT 1.0	6.96# 99%	142	2 - 2 - 0 - B	5, 55	
<b>UV Wash 700</b>	strong	slow	100%	solvent/glycol	LT 1.0	6.6# 87%	165	2 - 2 - 0 - B	5, 55	
<b>UV Wash LED</b>	strong	moderate	no	solvent/glycol	LT 9.0	7.4# 99%	110	2 - 2 - 0 - B	5, 55	
<b>UV Wash MA</b>	strong	moderate	no	mild solvent	LT 3.0	7.4# 100%	GT 100	2 - 2 - 0 - B	55g	
<b>Wash 1200 Fast Dry</b>	strong	fast	no	solvent	0.5	0.75# 11%	LT 20	2 - 3 - 0 - B	5, 55	Less than 100 grams/liter VOC
<b>Wash 4550</b>	moderate	moderate	30%	mild solvent	LT 5.0	6.37# 99%	GT 100	2 - 2 - 0 - B	5, 55	
<b>Wash 6800</b>	moderate	moderate	30%	mild solvent	LT 1.0	6.9# 98%	GT 142	2 - 2 - 0 - B	55	
<b>W.O.W. Exempt WM</b>	moderate	slow	30%	mild solvent	3.0	6.5# 99%	105	2 - 2 - 0 - B	5, 55	Bottcher approved
<b>W.O.W. Oxy-Dry 1149</b>	strong	moderate	no	solvent	5.0	6.9# 100%	145	2 - 2 - 0 - B	55	Oxy-Dry & Heidelberg approved for webs