

# SAFETY DATA SHEET

396 UV WASH

DATE: 10/15/2021

## 1. CHEMICAL NAME AND COMPANY IDENTIFICATION

**Formulated/Manufactured By:** Tower Products, Inc.  
2703 Freemansburg Avenue  
Easton, PA 18045

**Information Telephone Number:** 1-800-527-8626 or 610-253-6206

**For Chemical Spill Emergency Call:** CHEMTREC: USA/Canada 1-800-424-9300  
Mexico 800-681-9531

**Product Name:** 396 UV WASH (Premium One-Step UV/EB Ink Cleaner)

**CAS Number:** Mixture - Not Established

## 2. HAZARD(S) IDENTIFICATION

### GHS Classification

Flammable Liquids (Category 3)  
Aspiration Hazard (Category 1)  
Specific Target Toxicity - Single Exposure (Category 3)  
Skin Irritation (Category 3)  
Eye Irritation (Category 2B)  
Carcinogenicity (Category 2)

### GHS label elements, including hazard and precautionary statements

Pictogram(s) 

Signal Word DANGER!

Hazard statement(s)  
H226: FLAMMABLE LIQUID & VAPOR.  
H304: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.  
H335: MAY CAUSE RESPIRATORY IRRITATION.  
H336: MAY CAUSE DROWSINESS OR DIZZINESS.  
H316: CAUSES MILD SKIN IRRITATION.  
H320: CAUSES EYE IRRITATION.  
H351: SUSPECTED OF CAUSING CANCER.

Precautionary statement(s)  
Prevention:  
P210: KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES AND OTHER IGNITION SOURCES. NO SMOKING.  
P261: AVOID BREATHING FUMES/MIST/DUST/GAS/VAPOR/SPRAY.  
P280: WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.  
P264: WASH SKIN THOROUGHLY AFTER HANDLING.  
P201: OBATIN SPECIAL INSTRUCTIONS BEFORE USE.

Response:  
P370+P378: IN CASE OF FIRE: USE DRY CHEMICAL OR CARBON DIOXIDE TO EXTINGUISH.  
P301+P310+P331: IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR. DO NOT INDUCE VOMITING.  
P304+P340: IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.  
P303+P361+P353: IF ON SKIN (or hair): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER (OR SHOWER).

## SAFETY DATA SHEET

396 UV WASH

DATE: 10/15/2021

P305+P351+P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P308+P313: IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION.

Storage:

P403+P233+P405: STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED. STORE LOCKED UP.

Disposal:

P501: DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL REGULATIONS.

**HMIS Classification**

Health Hazard: 2

Flammability: 2

Physical Hazard: 0

Personal Protection: B

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

<u>Component(s)</u>	<u>CAS Number</u>	<u>*Concentration (weight)</u>
Aromatic Hydrocarbon	64742-95-6	55-65%
Dipropylene Glycol Monomethyl Ether	34590-94-8	45-55%
<b>Components of the Aromatic Hydrocarbon:</b>		
1,2,4-Trimethylbenzene	95-63-6	≤16.5%
Xylene	1330-20-7	≤1.1%
Ethyl Benzene	100-41-4	<1.0% - TRACE
Cumene	98-82-8	<1.0% - TRACE

\* In accordance with paragraph (i) of §1910.1200, exact chemical percentages (concentration) of composition have been withheld as a trade secret.

**4. FIRST AID MEASURES**

**Exposure Routes:** Inhalation, Ingestion, Skin

**Eye Contact:** Flush with large volume of water for at least 15 minutes. Get immediate medical attention.

**Inhalation:** Remove to fresh air. Get immediate medical attention.

**Ingestion:** Get immediate medical attention. Do not induce vomiting.

**Skin Contact:** Flush area with large amounts of water for at least 15 minutes. Get immediate medical attention.

**5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media:** Use dry chemical or carbon dioxide.

**Specific Hazards:** Combustible liquid. Upon combustion, the product may form carbon monoxide and other organic compounds. Product containers may rupture from vapor pressure when exposed to heat from fire.

**Special protective equipment for fire-fighters:** Use self-contained breathing apparatus.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions and protective equipment:**

**Respiratory Protection:** Use supplied air equipment or respirators with proper NIOSH approved cartridges.

**Protective Gloves:** Impervious or chemical resistant gloves (consult safety equipment supplier).

**Eye Protection:** Chemical splash goggles recommended against potential eye contact.

**Other Protective Clothing and Equipment:** Safety shoes and aprons recommended.

**Methods for Clean-Up:**

**Minor Spills:** Absorb material with ground clay, vermiculite, sand, or similar absorbent material and place into containers for disposal according to local and/or state regulations.

**Major Spills:** Dike and contain spill. Eliminate potential sources of ignition, and shut off source of spill if possible.

Remove liquid by chemical vacuum, absorbent material, or other safe and approved methods, and place into containers for disposal according to local and/or state regulations. Flush area with water to remove residue, and remove flushed solutions as above.

## SAFETY DATA SHEET

396 UV WASH

DATE: 10/15/2021

**7. HANDLING AND STORAGE**

**Handling:** Combustible Liquid - empty containers can be hazardous and contain explosive vapors. Do not reuse containers. Ground fixed equipment. Bond and ground transfer equipment and containers.

**Storage:** Store in a cool, dry, ventilated area, away from incompatible substances. Keep containers closed when not in use.

**8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

<b>Exposure Guidelines:</b>	<b>CAS No.</b>	<b>OSHA PEL/TWA</b>	<b>ACGIH TLV/TWA</b>	<b>OTHER RATING</b>	<b>ACGIH TLV/STEL</b>
<b>COMPONENT</b>					
Aromatic Hydrocarbon	64742-95-6	100ppm (1)			
Dipropylene Glycol Monomethyl Ether	34590-94-8	100ppm	100ppm		150ppm

(1) Based on PEL for Xylenes.

This blend contains approximately 1.1% Xylene and 16.5% 1,2,4-Trimethylbenzene. Cumene and Ethyl Benzene are present at less than 1.0%.

**Exposure controls:** Avoid open electrical sources near product vapor areas.

**Personal Protection Equipment:**

**Eyes:** Chemical splash goggles recommended.

**Skin and body:** Impervious or chemical resistant gloves (consult safety equipment supplier).

**Respiratory:** Ventilation in work area should be sufficient to maintain atmosphere with vapor level below lowest listed TLV. If TLV's are exceeded, use a respirator with appropriate NIOSH approved cartridges or supplied air equipment.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Light colored liquid

**Odor:** Petroleum odor

**Odor Threshold:** N/A

**pH:** N/A

**Melting point:** N/A

**Boiling Point:** 308° F

**Flash point:** (Tag Closed Cup Method) 115° F

**Evaporation Rate:** N/A

**Flammable Limits:**

**LEL:** 1.0%

**UEL:** 12.6%

**Vapor Pressure:** (mmHg calculated) 3.0 @ 68°F (20° C)

**Vapor Density:** (Air = 1) < 5

**Solubility in water:** Negligible

**Specific Gravity:** (Water = 1) 0.91

**Maximum VOC Content:** 7.5 Lb/Gal (900 Gm/L)

**Maximum VOC %:** 100% (EPA Method 24)

**Relative Density:** N/A

**Partition Coefficient: N-Octano/Water:** N/A

**Auto-ignition Temperature:** N/A

**Decomposition Temperature:** N/A

**Viscosity:** N/A

**10. STABILITY AND REACTIVITY**

**Chemical Stability:** Stable

**Incompatible Materials:** Avoid strong oxidizing agents.

**Hazardous Decomposition Products:** Carbon monoxide during combustion.

**Hazardous Polymerization:** Will not occur.

**Conditions to Avoid:** Avoid high heat sources, electrical and welding arcs, open flame and strong oxidizing agents.

**Warning:** Spontaneous combustion may occur when solvent soaked combustible material (paper, cotton, etc.) are allowed to stand in confined areas.

**11. TOXICOLOGICAL INFORMATION****(ATE) FOR MIXTURE:**

Specific tests have not been conducted on this product. Our evaluations based on information from the ingredients and technical literature. Data for this material has been used to estimate the symptoms and effects of exposure.

**Oral LD50:**

LD50 Oral -  $\geq 4,545$  mg/kg

**Dermal LD50:**

LD50 Dermal -  $\geq 4,545$  mg/kg

**Inhalation LC50:**

LC50 Inhalation - No data available

**Other information on Acute Toxicity:**

No data available

**Routes of exposure:** Inhalation, Ingestion, Skin

**Acute:** Overexposure may lead to central nervous system depression, leading to headaches, nausea and unconsciousness.

**Chronic:** Overexposure in high concentrations may produce central nervous system depression

**Signs and Symptoms of Exposure:** Overexposure may lead to dizziness, headaches, dermatitis and eye irritation.

**Medical Conditions Aggravated by Exposure:** Preexisting eye, skin, liver, kidney, nerve, or respiratory disorders may be aggravated by exposure.

**Carcinogenicity (NTP, IARC, OSHA):** Components of this product are not listed as known human carcinogens.

TRACE amounts (<1%) of Ethyl Benzene and Cumene, as components of the Aromatic Hydrocarbon, are listed by IARC as 2B Possible Human Carcinogen .

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in the soil:** No data available

**Other adverse effects:** No data available

**13. DISPOSAL CONSIDERATIONS****Waste disposal methods:**

Dispose of in accordance with all applicable local, state and federal regulations. Do not discharge this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

## SAFETY DATA SHEET

396 UV WASH

DATE: 10/15/2021

**14. TRANSPORTATION INFORMATION**

<u>U.S. D.O.T. DESIGNATION</u>	<u>ID NUMBER</u>	<u>HAZARD CLASS</u>	<u>PACKING GROUP</u>
Cleaning Liquid (Non-Regulated Combustible)			

**U.N. DESIGNATION**

Flammable Liquids, N.O.S. (Contains Naphtha, Solvent, Dipropylene Glycol Monomethyl Ether)	UN1993	3	III
--------------------------------------------------------------------------------------------------	--------	---	-----

**15. REGULATORY INFORMATION**

**Regulatory Information:** This information may be useful in complying with various federal and state regulations: Components present in this product at a level which could require reporting under EPA Regulation 40CFR302 (CERCLA) Section 102 and EPA Regulation 40CFR372 (SARA) 313: This blend contains approximately 1.1% Xylene and 16.5% 1,2,4-Trimethylbenzene. Cumene and Ethyl Benzene are present at less than 1.0%.

Product may contain components which are further regulated by state and/or local agencies - Consult Appropriate

**Notification status:**

U.S.: Toxic Substances Control Act (TSCA)	Y
Canada: Domestic Substances List (DSL):	Y

**16. OTHER INFORMATION**

**For More Information, Consult Tower Products, Inc.**

**This Information Herein Is Given In Good Faith, But No Warranty, Express Or Implied Is Made.**

**Date of Preparation:** January 1, 2015

**Date of Revision:** October 15, 2021