1. CHEMICAL NAME AND COMPANY IDENTIFICATION

Formulated/Manufactured By: Tower Products, Inc.

2703 Freemansburg Avenue

Easton, PA 18045

Information Telephone Number: 1-800-527-8626 or 610-253-6206

For Chemical Spill Emergency Call: CHEMTREC: 1-800-424-9300

Product Name: MILLENNIUM 4500

High Technology, One Step Fountain Solution

CAS Number: Mixture - Not Established

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable Liquids (Category 4)

Skin Sensitizer (Category 1)

Toxic To Reproduction (Category 1)

Skin Irritation (Category 2)

Eye Irritation (Category 1)

Specific Target Organ Toxicity - Single Exposure (Category 1)

Specific Target Organ Toxicity - Single Exposure- Respiratory Tract (Category 3)

Specific Target Organ Toxicity - Repeated Exposure (Category 2)

GHS label elements, including hazard and precautionary statements

Pictogram(s)



i ictogram(s)

Signal Word DANGER!

Hazard statement(s)

H227: COMBUSTIBLE LIQUID.

H317: MAY CAUSE ALLERGIC SKIN REACTION.

H360: MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

H315: CAUSES SKIN IRRITATION.

H318: CAUSES SERIOUS EYE DAMAGE.

H370: CAUSES DAMAGE TO ORGANS.

H335: MAY CAUSE RESPIRATORY IRRITATION.

H336: MAY CAUSE DROWSINESS OR DIZZINESS.

H373: MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

Precautionary statement(s)

Prevention:

P203: OBTAIN, READ AND FOLLOW ALL SAFETY INSTRUCTIONS BEFORE USE.

 $P210: KEEP\ AWAY\ FROM\ HEAT/SPARKS/OPEN\ FLAMES/HOT\ SURFACES\ AND\ OTHER\ IGNITION\ SOURCES.$

NO SMOKING.

P280: WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.

P272: CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.

P260: DO NOT BREATHE DUST/FUME/GAS/MIST/VAPORS/SPRAY.

P264+P265: WASH SKIN THOROUGHLY AFTER HANDLING. DO NOT TOUCH EYES.

P270: DO NOT EAT, DRINK, OR SMOKE WHILE USING THIS PRODUCT.

P271: USE ONLY OUTDOORS OR IN A WELL VENTIALTED AREA.

Response:

P370+P378: IN CASE OF FIRE: USE WATER TO EXTINGUISH.

P302+P352: IF ON SKIN: WASH WITH PLENTY OF WATER.

P333+P317: IF SKIN IRRIATION OR RASH OCCURS: GET MEDICAL HELP.

P362+P364: TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE.

P305+P354+P338: IF IN EYES: IMMEDIATELY RINSE WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P304+P340: IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.

P308: IF EXPOSED OR CONCERNED: GET EMERGENCY MEDICAL HELP IMMEDIATELY.

Storage:

P403+P233+P405: STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED. STORE LOCKED UP.

Disposal:

P501: DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL REGULATIONS.

HMIS Classification

Health Hazard: 2 Flammability: 2 Physical Hazard: 0 Personal Protection: B

3. COMPOSITION / INFORMATION ON INGREDIENTS

5. COMI OSITION / INFORMATION ON INGREDIENTS					
Component(s)	CAS Number	*Concentration (weight)			
2-Butoxyethanol	111-76-2	15-25%			
Propylene Glycol	57-55-6	1-10%			
Sodium Xylene Sulfonate	1300-72-7	1-5%			
Ethylene Glycol	107-21-1	1-5%			
Magnesium Nitrate	13446-18-9	1-5%			
Acetic Acid	64-19-7	1-5%			
Sodium Hydroxide	1310-73-2	1-5%			
Proprietary Surfactant	XXXXXX	1-5%			
Citric Acid	77-92-9	0.1-5%			
Malic Acid	6915-15-7	0.1-5%			
Proprietary Antimicrobial Blend	XXXXXX	0.1-5%			
Sodium Tetraborate Decahydrate	1303-96-4	0.1-5%			

^{*} In accordance with paragraph (i) of §1910.1200, specific chemical identities and exact chemical percentages (concentration) of composition have been withheld as a trade secret.

4. FIRST AID MEASURES

Exposure Routes: Inhalation, Ingestion, Skin

Eye Contact: Flush with large volume of water for at least 15 minutes. Get immediate medical attention.

Inhalation: Remove to fresh air. Get immediate medical attention. **Ingestion**: Get immediate medical attention. Do not induce vomiting.

Skin Contact: Flush area with large amounts of water for at least 15 minutes. Get immediate medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water.

Specific Hazards: Product containers may rupture from vapor pressure when exposed to heat from fire.

Special protective equipment for fire-fighters: Use self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions and protective equipment:

Respiratory Protection: Use supplied air equipment or respirators with proper NIOSH approved cartridges.

Protective Gloves: Impervious or chemical resistant gloves (consult safety equipment supplier).

Eye Protection: Chemical splash goggles recommended against potential eye contact. Other Protective Clothing and Equipment: Safety shoes and aprons recommended.

Methods for Clean-Up:

Minor Spills: Absorb material with ground clay, vermiculite, sand, or similar absorbent material and place into containers for disposal according to local and/or state regulations.

Major Spills: Dike and contain spill. Eliminate potential sources of ignition, and shut off source of spill if possible. Remove liquid by chemical vacuum, absorbent material, or other safe and approved methods, and place into containers for disposal according to local and/or state regulations. Flush area with water to remove residue, and remove flushed solutions as above.

7. HANDLING AND STORAGE

Handling: Empty containers can be hazardous. Do not reuse containers. Plastic or stainless steel handling and transfer equipment recommended. Ground fixed equipment. Bond and ground transfer equipment and containers.

Storage: Store in a cool, dry, ventilated area, away from incompatible substances. Keep containers closed when not in use. Store between 50° and 100° F. Do not allow product to freeze.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION						
Exposure Guidelines:		OSHA	ACGIH	ACGIH	OTHER	
<u>COMPONENT</u>	CAS No.	PEL/TWA	TLV/TWA	TLV/STEL	RATING	
2-Butoxyethanol	111-76-2	25ppm(skin)	20ppm(skin)	N/E		
Propylene Glycol	57-55-6	N/E	N/E	N/E	10mg/m3(WEEL)	
Sodium Xylene Sulfonate	1300-72-7	N/E	N/E			
Ethylene Glycol	107-21-1	N/E	25ppm	50ppm	10mg/m3(WEEL)	
Magnesium Nitrate	13446-18-9	N/E	N/E	N/E		
Acetic Acid	64-19-7	10ppm	10ppm	15ppm		
Sodium Hydroxide	1310-73-2	2mg/m3	2mg/m3	N/E		
Proprietary Surfactant	XXXXXX	N/E	N/E	N/E	10mg/m3(WEEL)	
Citric Acid	77-92-9	N/E	N/E	N/E		
Malic Acid	6915-15-7	N/E	N/E	N/E		
Proprietary Antimicrobial Blend	XXXXXX	N/E	N/E	N/E		
Sodium Tetraborate Decahydrate	1303-96-4	N/E	N/E	N/E		

Significant potential for dermal (skin) absorption.

Exposure Controls: Avoid open electrical sources near product vapor areas.

Personal Protection Equipment:

Eyes: Chemical splash goggles recommended.

Skin and body: Impervious or chemical resistant gloves (consult safety equipment supplier).

Respiratory: Ventilation in work area should be sufficient to maintain atmosphere with vapor level below lowest listed TLV. If TLV's are exceeded, use a respirator with appropriate NIOSH approved cartridges or supplied air equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blue Liquid. Odor: Mild ether odor.

pH: 4.2

Melting Point: N/A **Boiling Point**: 212° F

Flash Point: (Estimated) > 153° F

Flammable Limits:

LEL: N/A UEL: N/A

Vapor Pressure: (mmHg) < 1.0 Vapor Density: (Air = 1) N/D

Specific Gravity: (Water = 1) $1.075 @ 68^{\circ} F$

Solubility in water: Complete

Maximum VOC Content: 2.60 Lb/Gal (312 Gm/L)

Maximum VOC %: 29% Odor Threshold: N/A Evaporation Rate: N/A Relative Density: N/A

Partition Coefficient: N-Octano/Water: N/A

Auto-ignition Temperature: N/A **Decomposition Temperature**: N/A

Viscosity: N/A

10. STABILITY AND REACTIVITY

Chemical Stability: Stable Incompatible Materials: None.

Hazardous Decomposition Products: None. **Hazardous Polymerization**: Will not occur.

Conditions to Avoid: Avoid exposure to high heat sources, electrical and welding arcs, open flame and strong oxidizing

agents.

11. TOXICOLOGICAL INFORMATION

(ATE) FOR MIXTURE:

Specific tests have not been conducted on this product. Our evaluations based on information from the ingredients and technical literature. Data for this material has been used to estimate the symptoms and effects of exposure

Oral LD50:

LD50 Oral - \geq 2,304 mg/kg

Dermal LD50:

LD50 Dermal - \geq 5,747 mg/kg

Inhalation LC50:

LC50 Inhalation - \geq 204 mg/l

Other information on Acute Toxicity:

No data available

Routes of exposure: Inhalation, Ingestion, Skin

Acute: Overexposure may lead to skin irritation, eye irritation, and central nervous system depression, leading to headaches, nausea and unconsciousness.

Chronic: Overexposure in high concentrations may produce central nervous system depression, dermatitis and eye irritation.

Signs and Symptoms of Exposure: Overexposure may lead to dizziness, headaches, dermatitis and eye irritation.

Medical Conditions Aggravated by Exposure: Preexisting eye, skin, liver, kidney, blood, nerve, testes, or respiratory disorders may be aggravated by exposure.

Carcinogenicity (NTP, IARC, OSHA): Components of this product have not shown any evidence of carcinogenicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in the soil: No data available Other adverse effects: No data available

13. DISPOSAL CONSIDERATIONS

Waste disposal methods:

Dispose of in accordance with all applicable local, state and federal regulations. Do not discharge this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

14. TRANSPORTATION INFORMATION

IDHAZARDPACKINGU.S. D.O.T. DESIGNATIONNUMBERCLASSGROUP

Cleaning Liquid. Not Regulated.

U.N. DESIGNATION

Same as D.O.T.

15. REGULATORY INFORMATION

Regulatory Information: This information may be useful in complying with various federal and state regulations: Components present in this product at a level which could require reporting under EPA Regulation 40CFR302 (CERCLA) Section 102 and EPA Regulation 40CFR372 (SARA) 313: This product contains approximately 17.7% 2-Butoxyethanol, 4.2% Ethylene Glycol, and 1% of nitrate compounds.

Product may contain components which are further regulated by state and/or local agencies - Consult Appropriate Agencies.

Notification status:

U.S.A.: Toxic Substances Control Act (TSCA) Y
Canada: Domestic Substances List (DSL): Y

16. OTHER INFORMATION

For More Information, Consult Tower Products, Inc.
This Information Herein Is Given In Good Faith, But No Warranty, Express Or Implied Is Made.

Date of Preparation: February 1, 2022